

SODA ASH DENSE WELKOM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 3/14/2024 Revision date: 3/14/2027

Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
Trade name	: SODA ASH DENSE WELKOM
Chemical name	: Bases
EC Index-No.	: 011-005-00-2
EC-No.	: 207-838-8
CAS-No.	: 497-19-8
REACH registration No.	: 01-2119485498-19
Product code	: SODA ASH DENSE WELKOM
Type of product	: Bases
Formula	: Na ₂ CO ₃
Synonyms	: anhydrous soda / ash / bisodium carbonate / calcined soda(=sodium carbonate) / carbonic acid disodium salt / carbonic acid sodium salt / CASWELL NO. 752 / chrysol carbonate / chrysol carbonate (=sodium carbonate) / disodium carbonate / natural ash / Na-X / snowlite 1 / soda (=sodium carbonate) / soda ash / soda, crystals / sodium carbonate, anhydrous / sodium carbonate, anhydrous ASTM D458 / sodium carbonate, anhydrous GE materials D4D5 / sodium carbonate, anhydrous powder / sodium carbonate, crude / sodium carbonate, granular / Solvay soda / synthetic ash / washing soda (=sodium carbonate)
Product group	: Trade product
BIG No	: 10318

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture	: Chemical raw material Glass production: raw material Detergent: component Acidity regulator Paper production: auxiliary substance
------------------------------	---

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ImproChem(Pty) Ltd T/A AECI Water
1 Wharhirst Road
Umbogintwini - South Africa
T +27(31) 949 8200

1.4. Emergency telephone number

Emergency number : 0800 SPILLS or 0800 774557

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning

SODA ASH DENSE WELKOM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP)	: H319 - Causes serious eye irritation.
Precautionary statements (CLP)	: P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear goggles, gloves, clothing and respiratory protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	%
SODA ASH DENSE	(CAS-No.) 497-19-8 (EC-No.) 207-838-8 (EC Index-No.) 011-005-00-2 (REACH-no) 01-2119485498-19	100

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.
First-aid measures after inhalation	: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.
First-aid measures after skin contact	: Rinse with water. Soap may be used. Do not apply (chemical) neutralizing agents. Take victim to a doctor if irritation persists.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Do not apply neutralizing agents. Take victim to an ophthalmologist if irritation persists.
First-aid measures after ingestion	: Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Do not induce vomiting. Call Poison Information Centre (www.big.be/antigif.htm). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital. Doctor: gastric lavage is not recommended.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: AFTER INHALATION OF DUST: Dry/sore throat. Coughing. Slight irritation. EXPOSURE TO HIGH CONCENTRATIONS: Irritation of the respiratory tract. Irritation of the nasal mucous membranes. Respiratory difficulties.
Symptoms/effects after skin contact	: Dry skin.
Symptoms/effects after eye contact	: Irritation of the eye tissue. Lacrimation.
Symptoms/effects after ingestion	: AFTER ABSORPTION OF HIGH QUANTITIES: Nausea. Abdominal pain. Irritation of the gastric/intestinal mucosa.
Symptoms/effects upon intravenous administration	: No effects known.
Chronic symptoms	: ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Red skin. Dry skin. Tingling/irritation of the skin. Affection of the nasal septum.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Adapt extinguishing media to the environment.
Unsuitable extinguishing media	: Solid water jet ineffective as extinguishing medium.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: DIRECT FIRE HAZARD. Non combustible.
Explosion hazard	: DIRECT EXPLOSION HAZARD. No direct explosion hazard.

SODA ASH DENSE WELKOM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

- Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.
- Firefighting instructions : No specific fire-fighting instructions required.
- Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Gloves. Safety glasses. Protective clothing. Dust cloud production: compressed air/oxygen apparatus. See "Material-Handling" to select protective clothing.
- Emergency procedures : Mark the danger area. Prevent dust cloud formation, e.g. by wetting. No naked flames. Wash contaminated clothes.
- Measures in case of dust release : In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows.

6.1.2. For emergency responders

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

- For containment : Contain released substance, pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply. Knock down/dilute dust cloud with water spray.
- Methods for cleaning up : Prevent dust cloud formation. Scoop solid spill into closing containers. See "Material-handling" for suitable container materials. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Comply with the legal requirements. Clean contaminated clothing. Thoroughly clean/dry the installation before use. Avoid raising dust. Keep away from naked flames/heat. Observe normal hygiene standards. Keep container tightly closed. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

7.2. Conditions for safe storage, including any incompatibilities

- Heat and ignition sources : KEEP SUBSTANCE AWAY FROM: heat sources.
- Information on mixed storage : KEEP SUBSTANCE AWAY FROM: (strong) acids. metals. water/moisture.
- Storage area : Store in a cool area. Store in a dry area. Keep container in a well-ventilated place. Keep out of direct sunlight. Meet the legal requirements.
- Special rules on packaging : SPECIAL REQUIREMENTS: closing. watertight. dry. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.
- Packaging materials : SUITABLE MATERIAL: No data available. MATERIAL TO AVOID: aluminium. zinc.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

SODA ASH DENSE WELKOM (497-19-8)

Romania - Occupational Exposure Limits

Local name	Carbonat de sodiu
OEL TWA	1 mg/m ³
OEL STEL	3 mg/m ³

DNEL : 10 mg/m³

SODA ASH DENSE WELKOM (497-19-8)

Romania	Local name	Carbonat de sodiu
---------	------------	-------------------

SODA ASH DENSE WELKOM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SODA ASH DENSE WELKOM (497-19-8)		
Romania	OEL TWA	1 mg/m ³
Romania	OEL STEL	3 mg/m ³

DNEL : 10 mg/m³

8.2. Exposure controls

Personal protective equipment : Gloves, shoulder length. Protective clothing. Protective goggles. Safety Boots. Dust production: dust mask with filter type P1.

Materials for protective clothing : Excellent resistance: No data available. Good resistance: Butyl rubber. Polyvinylchloride (PVC). Less resistance: No data available. Poor resistance: No data available

Hand protection : Gloves

Eye protection : Protective goggles

Skin and body protection : Protective clothing

Respiratory protection : Dust production: dust mask with filter type P1



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Crystalline solid. Crystalline powder. Grains. Lumps.

Molecular mass : 105.989 g/mol

Colour : Colourless to white.

Odour : Odourless.

Odour threshold : No data available

pH : 11.6 (5.0 %)

pH solution : 5 %

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 858.1 °C

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : > 400 °C

Decomposition temperature : 1600 °C

Flammability : No data available

Vapour pressure : 0 Pa

Relative vapour density at 20°C : No data available

Relative density : 2.52-253,20 °C

Density : 2530 kg/m³

Solubility : Exothermically soluble in water. Soluble in glycerol.
Water: 5310 mg/l

Partition coefficient n-octanol/water (Log Pow) : -6.19

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

VOC content : Not applicable (inorganic)

Other properties : Hygroscopic. Substance has basic reaction.

SODA ASH DENSE WELKOM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts on exposure to water (moisture) with (some) metals. Upon combustion: CO and CO₂ are formed. Violent exothermic reaction with (some) metals. Reacts with (strong) oxidizers. Violent exothermic reaction with (some) acids: release of harmful gases/vapours (carbon dioxide).

10.2. Chemical stability

Hygroscopic. Absorbs the atmospheric CO₂.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

SODA ASH DENSE WELKOM (497-19-8)	
LD50 oral rat	2800 mg/kg (Rat; Experimental value)
LD50 oral	4090 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Experimental value)
LD50 dermal	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	2300 mg/m ³

Skin corrosion/irritation : Not classified
pH: 11.6 (5.0 %)

Serious eye damage/irritation : Causes serious eye irritation.
pH: 11.6 (5.0 %)

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Not classified as dangerous for the environment according to the criteria of Directive 67/548/EEC. Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008.

Ecology - air : Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). Not included in the list of fluorinated greenhouse gases (Regulation (EC) No 842/2006). TA-Luft Klasse 5.2.1.

Ecology - water : Maximum concentration in drinking water: 200 mg/l (sodium) (Directive 98/83/EC). Slightly harmful to fishes (LC50(96h) 100-1000 mg/l). Slightly harmful to invertebrates (EC50 (48h): 100 - 1000 mg/l). Practically non-toxic to algae (EC50 >100 mg/l). pH shift.

SODA ASH DENSE WELKOM (497-19-8)	
LC50 - Fish [1]	300 mg/l
EC50 - Other aquatic organisms [1]	265 mg/l
EC50 - Other aquatic organisms [2]	IC50 algae (72 h) mg/l
Threshold limit - Algae [1]	242 mg/l (EC50; 5 days; Algae)

SODA ASH DENSE WELKOM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

SODA ASH DENSE WELKOM (497-19-8)	
Persistence and degradability	Biodegradability: not applicable. Low potential for adsorption in soil.
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

SODA ASH DENSE WELKOM (497-19-8)	
Partition coefficient n-octanol/water (Log Pow)	-6.19
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Product/Packaging disposal recommendations : Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Precipitate/make insoluble. Remove to an authorized dump (Class I). Do not discharge into drains or the environment. May be discharged to wastewater treatment installation.
- Additional information : LWCA (the Netherlands): KGA category 05. Hazardous waste according to Directive 2008/98/EC.
- European List of Waste (LoW, EC 2000/532) : 16 05 07* - discarded inorganic chemicals consisting of or containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

- UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable

14.2. UN proper shipping name

- Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

ADR

- Transport hazard class(es) (ADR) : Not applicable

IMDG

- Transport hazard class(es) (IMDG) : Not applicable

IATA

- Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

- Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

- Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

SODA ASH DENSE WELKOM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

- Overland transport

Transport regulations (ADR) : Not subject

- Transport by sea

Transport regulations (IMDG) : Not subject

- Air transport

Transport regulations (IATA) : Not subject

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Not listed on REACH Annex XVII

Not listed on the REACH Candidate List

Not listed on REACH Annex XIV (Authorisation List)

VOC content : Not applicable (inorganic)

15.1.2. National regulations

Germany

Regulatory reference : WGK 1, Slightly hazardous to water (Classification according to AwSV)

WGK remark : Classification in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : The substance is not listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

15.2. Chemical safety assessment


No additional information available

SECTION 16: Other information

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity : 2 - Materials that readily undergo violent chemical change at elevated temperatures and pressures.



Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H319	Causes serious eye irritation.

SODA ASH DENSE WELKOM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SDS ImproChem Test

"DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. IMPROCHEM MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether ImproChem's product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of the ImproChem product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate ImproChem product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. ImproChem provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, ImproChem makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from ImproChem."